



Robline



Yachting Ropes and Kite Lines



Content

3	Information about product specifications	42	Allround Ropes
5	Grand Prix	44	Kitelines
6	Performance	48	Splicing gadgets
10	Single Braids	50	Hardware
12	Cruising	54	Accessories
16	Dinghy & Sportsboats	58	How to choose the right product
23	Sailmakers	59	Elongation
26	Ready-Made-Products	60	Sustainability
32	Mini-Spools	62	Teufelberger - One Company Infinite Possibilities
34	Whipping Twine	64	Our Partners
36	Mooring & Anchor Lines	65	Index
40	Traditional Ropes	66	Country Contacts


Good to know

Three symbols explain the availability of our products:

- available for order
- ◐ ask your customer service for current availability
- as long as stock lasts / will not be restocked



With our label Robline Responsible, we set a visible sign and identify all sustainably produced ropes in our product range.



Information about product specifications

Product nomenclature



Cross
Over

pink-gray

neon-
yellow-
gray

white-gray

black-gray

orange-
gray

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	pink-gray	neonyellow-gray	white-gray	black-gray	orange-gray
8	200	5000	45	● 7150908	● 7154484	● 7154483	● 7154485	● 7150906	

Cover: Cover material Core: Core material

Ø = diameter (mm)

The nominal diameter has tolerances in the plus and minus.

Length = rope length (m)

The rope length per spool of coil in meters.

BL = breaking loads (daN)

The value in daN (1 daN is about 1 kg) indicates the load at which the rope would break. The specified breaking loads are values determined in testing in our laboratory. In practical use, these values may deviate depending on the type of use. The breaking loads were determined for free lengths of rope and will be decreased by splices or knots.

When defining a rope's dimensions, we recommend to apply a ratio of working load to breaking load of at least 1:5!

Weight = weight per meter (g/m)

The specified values in grams relate to one meter of rope. The length of the rope can change during use. As a result, there may also be deviations from the specified weight.

Colors and order numbers

Example: the color "black-gray" with Ø 8 has the Item no. 7154485 and is available for order.

Identification Field of Use

Halyard

HALYARD

This line is ideally suited for use as a halyard.

Sheet

SHEET

Due to its low abrasion and minimal kink, this line is ideally suited for use as a sheet.

Cross
Over

CROSSOVER

This line is suited for use as both a halyard and a sheet.

Trim

TRIMM

This line can be used as a control line, or allround rope.

Dock
Line


MOORING LINE

This line is suited for mooring all kinds of boats.

Anchoring

ANCHOR LINE

This non-buoyant line is used for anchoring.






Grand Prix

The Grand Prix product line from Robline consists of ropes tested and optimized in race conditions.

These constructions were successfully installed on RC 44, M32, GC32, Club Swan 50, and other Grand Prix yachts. They come in diameters from 7.5mm on up. The highest performing among those lines feature breaking loads of up to 45 tons and are used as Genoa sheets for Maxi yachts.

We use three different types of core, each surrounded by braided covers optimized for the respective diameters and types of use.



STS – Stronger than Steel® Technology

Thanks to our one-of-a-kind STS – Stronger than Steel® Technology, we are able to produce ropes featuring exceptionally low stretch for the required diameters. This allows Grand Prix sailors to choose small diameters, which results in low windage and top weight. Even so, sailors still get better responsiveness and optimum implementation of the trim.

More Info

Get more information on the Grand Prix exclusive assortment on our website, or request a special Info Folder!





Performance

Admiral PRO

- extremely low stretch
- high abrasion resistance
- high holding power in clutches
- perfect if you don't have a halyard lock but want to experience the same consistent set level and luff-stretch

Cross
Over

Designed and best used for:

- ▶ genna halyard, main halyard

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.				
				pink-gray	neonyellow-gray	white-gray	black-gray	orange-gray
8	200	5000	45	● 7150908	● 7154484	● 7154483	● 7154485	● 7150906
10	200	8200	72	● 7150911	● 7154481	● 7154480	● 7154482	● 7150909
12	170	13900	101	● 7150905	● 7154487	● 7154488	● 7154486	● 7150903
14	200	16100	140	● 7154833	● 7154832	● 7154831	● 7154834	-

Cover: Polyester/Technora® 24 Core: Ocean STS®



Admiral PRO Plus

- extremely low stretch
- high abrasion resistance
- forgiving with sharp new winch surfaces or ceramic winches

Cross
Over

Designed and best used for:

- ▶ genna, gennaker, main sheets and halyards
- ▶ areas where you experience a bit more chafe than usual

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.				
				white-gray -white	neonyellow-gray -white	black-gray -white	pink-gray-white	orange-gray-white
8	200	5000	45	● 7154497	● 7154496	● 7154495	● 7153948	● 7153950
10	200	8200	72	● 7154494	● 7154493	● 7154492	● 7153951	● 7153953
12	170	13900	101	● 7154506	● 7154507	● 7154508	● 7153945	● 7153947
14	200	16100	132	-	● 7154836	● 7154838	● 7154837	-

Cover: Polyester/Technora®/Robtec 24 Core: Ocean STS®



What is Robtec?

Robtec is a high-performance fiber created by Robline. The material is constructed from Ultra High Molecular Weight Polyethylene fibers, commonly abbreviated as UHMWPE. Widely regarded for its high strength and low stretch characteristics, Robtec is a great choice for those seeking a performance upgrade over Polyester and is a very popular material amongst racing professionals.“

Kristian Hertzberg



Cross
Over

Admiral 10000

- increased grip
- high heat-resistance
- allround product on high-performance yachts

Designed and best used for:

- ▶ used winches offering "normal" grip levels

Ø	Length	BL	Weight	Color/Item no.			
mm	m	daN	g/m	blue-gray	neongreen-gray	neonorange-gray	black-gray
8	200	3800	44	🕒7150285	🕒7150286	🕒7150287	🕒7154510
10	200	5800	68	🕒7150288	🕒7150289	🕒7150290	🕒7154509
12	170	8000	90	🕒7150248	🕒7150283	🕒7150284	🕒7154511
14	200	10500	123	🕒7154842	🕒7154839	🕒7154841	🕒7154840

Cover: Polyester/Technora® 24 Core: Dyneema®

blue-gray

neongreen-gray

neonorange-gray

black-gray

Admiral 10000 Plus

- low stretch
- easy to splice and taper
- offers the best control for smooth operation

Designed and best used for:

- ▶ winches with abrasive surfaces (ceramic or new performance winches)

Ø	Length	BL	Weight	Color/Item no.			
mm	m	daN	g/m	blue-gray	neongreen-gray	neonorange-gray	black-gray
8	200	3800	44	●7153991	●7153992	●7153993	●7154512
10	200	5800	63	●7153994	●7153995	●7153996	●7154513
12	170	8000	90	●7153997	●7153998	●7153999	●7154514
14	200	10500	113	●7154846	●7154843	●7154845	●7154844

Cover: Polyester/Technora®/Robtec 24 Core: Dyneema®

blue-gray

neongreen-gray

neonorange-gray

black-gray

Admiral 7000

- extremely durable
- low stretch
- low kink

Designed and best used for:

- ▶ performance oriented halyard

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	white-red	white-blue	black-neonyellow	black-white	silver
6	200	2300	25	● 7153518	● 7153521	● 7150693	● 7150688	● 7153520
8	200	3900	40	● 7153523	● 7153524	● 7150694	● 7150689	● 7153526
10	200	5850	66	● 7153528	● 7153529	● 7150695	● 7150690	● 7153531
12	150	8100	90	● 7153532	● 7153533	● 7150696	● 7150691	● 7153535

Cover: Polyester 32 Core: Dyneema®

white-red

white-blue

silver

black-white

black-neonyellow

black-neonorange

Admiral 5000

- durable
- easy to splice and taper
- low stretch
- all-round product for performance-oriented yachts

Designed and best used for:

- ▶ performance oriented sheet

Ø	Length	BL	Weight	Color/Item no.			
mm	m	daN	g/m	gray-red	green-neongreen-gray	black-gray	blue-gray
6	200	2200	25	●7150713	●7153405	●7153415	●7153614
8	200	3800	44	●7150714	●7153406	●7153416	●7153615
10	200	5800	63	●7150715	●7153407	●7153417	●7153616
12	150	8000	90	●7150716	●7153408	●7153418	●7153617
14	100	10500	125	○7150717	○7153409	○7153419	○7153618

Cover: Polyester 24 Core: Dyneema®

blue-gray

gray-red

green-neongreen-gray

black-gray

Sheet

Admiral 3000

- high grip cover
- low stretch coated core
- increased winch grip

Designed and best used for:

- ▶ extra holding power in clutches

Ø	Length	BL	Weight	Color/Item no.		
mm	m	daN	g/m	red-gray	black-gray	silver-gray
6	200	1600	25	○ 7153420	○ 7153426	○ 7153432
8	200	2800	39	○ 7153421	○ 7153427	○ 7153433
10	200	4200	66	○ 7153422	○ 7153428	○ 7153434
12	150	5700	85	○ 7153423	○ 7153429	○ 7153435
14	100	7400	119	○ 7153424	○ 7153430	○ 7153436
16	100	9200	153	-	-	○ 7153437

Cover: Polyester/Taslan 32 **Core:** Robtec/ XLF



Cross Over

Globe Pro

- fully coated core
- easy to splice and taper
- good grip in clutches and winches
- developed in close cooperation with professional riggers
- exceptional price/performance ratio
- plenty of color options

Designed and best used for:

- ▶ as a basic full UHMWPE core product

Ø	Length	BL	Weight	Color/Item no.			
mm	m	daN	g/m	white	black	black-neonorange	white-red
6	200	2000	25	-	● 7155895	● 7155896	● 7155897
8	200	3400	44	● 71551835	● 7155901	● 7155902	● 7155903
10	200	5200	63	● 71551914	● 7155907	● 7155908	● 7155909
12	150	7200	90	● 71551926	● 7155913	● 7155914	● 7155915
14	200	9400	125	● 71551944	● 7155919	● 7155920	● 7155921
16	150	16500	174	-	● 7155925	● 7155926	● 7155927

Ø	Length	BL	Weight	Color/Item no.		
mm	m	daN	g/m	white-green	white-black	white-lightblue
6	200	2000	25	● 7155899	● 7155900	● 7155898
8	200	3400	44	● 7155905	● 7155906	● 7155904
10	200	5200	63	● 7155911	● 7155912	● 7155910
12	150	7200	90	● 7155917	● 7155918	● 7155916
14	200	9400	125	● 7155923	● 7155924	● 7155922
16	150	16500	174	● 7155929	● 7155930	● 7155928

Cover: Polyester 24 **Core:** Robtec



Single Braids

Ocean STS® & Robtec STS®

- perfect wherever extreme demands need to be met
- available with Dyneema® or Robtec fibers
- the superstar among single braids
- double the breaking load of normal UHMWPE products
- lower elongation and shrinkage values than normal UHMWPE products

Designed and best used for:

- cores of backstays and hal-yards used on race yachts (such as TP 52 and RC 44)

Ø mm	BL daN	Weight g/m	Color/Item no.
			Ocean STS® (Dyneema®)
			Robtec STS® (UHMWPE)
1.8	500	2	-
2	620	3	7152775
3	1450	7	7154178
3.5	2310	11	7155494
4	2555	11	7155495
5	4400	21	7153728
6	5340	25	7152799
7	7400	37	7153729
8	9430	47	7152800
9	11700	60	-
10	13400	65	7152801
11	16100	73	7155497
12	18500	101	7152802
14	26000	138	7152803
15	30000	146	7155492
16	33300	176	7152804
18	39000	219	7152805
20	46100	263	7152806
22	53000	300	7152807
24	66000	360	7152808

Material: Dyneema® or Robtec with STS® Technology

Ocean 7000

- ideal for all applications involving high breaking loads
- easy to splice
- use this wherever an enhancement of the properties of Ocean 3000 is needed

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
2	200	600	3	7152853
3	200	1200	6	7152854
4	200	2000	10	7152855
5	200	2900	14	7152856
6	200	4000	21	7152857

Material: Dyneema® SK99

Good to know

STS – Stronger than Steel®

Developed by the experts at Robline, the unique heat stretch process, which includes a defined cool-down phase during which the rope's structure is defined, makes it possible to achieve an enormous increase in breaking strength coupled with minimal elongation.



Trim

Cross
Over

Ocean 3000

- preset and coated for the highest performance
- low constructional stretch
- easy to splice



Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
gray				
2	200	400	2	● 7153306
2.5	200	500	4	● 7153310
3	200	800	5	● 7153314
4	200	1600	8	● 7153318
5	200	2300	11	● 7153322
6	200	3200	17	● 7153326
8	200	4500	28	● 7153330
10	150	7100	42	● 7153334
12	100	9500	54	● 7153338

Material: Dyneema®



Ocean All Color

- minimal color fading
- proven characteristics of Ocean 3000
- three color options



Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
all black				
all red				
all blue				
2	200	400	2	● 7153962
2.5	200	500	4	● 7154123
3	200	800	5	● 7153963
4	200	1600	8	● 7154125
5	200	2300	11	● 7153961
6	200	3200	17	● 7154489
8	200	4500	28	● 7154813
10	200	7100	42	● 7154953

Material: Robtec



Ocean STAT20 XG

- "zero creep" fiber
- ideal where a defined length is to be maintained under constant load
- optimized coating for maximum UV-resistance



Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
gray				
2	100	400	2	● 7151576
3	100	800	5	○ 7150477
4	100	1600	8	● 7150478
5	100	2300	11	● 7150479
6	100	3200	17	● 7150480

Material: DM20





Cruising

Sirius

- a classic for cruising boats
- firm construction
- withstands all regular winches and clutches
- mottled or traditional look

Cross
Over

Designed and best used for:

- ▶ as a reliable rope for all cruising applications

▶ Looking for a more specific halyard or sheet? Check out Sirius Grip (below ↓) and Sirius XTS (page 14 ↓).

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.						
				silver-red	silver-blue	silver-green	silver-black	black	silver	red
4	200	550	12	● 7153438	● 7153445	● 7153452	● 7153459	-	-	-
5	200	850	20	● 7153439	● 7153446	● 7153453	● 7153460	-	-	-
6	200	1150	27	● 7153440	● 7153447	● 7153454	● 7153461	● 7155881	● 7155880	● 7155879
8	200	1800	49	● 7153441	● 7153448	● 7153455	● 7153462	● 7155884	● 7155882	● 7155883
10	200	2800	71	● 7153442	● 7153449	● 7153456	● 7153463	● 7155887	● 7155885	● 7155886
12	150	3800	103	● 7153443	● 7153450	● 7153457	● 7153464	● 7155890	● 7155888	● 7155889
14	100	5000	140	● 7153444	● 7153451	● 7153458	● 7153465	-	-	-
16	150	7300	185	● 7153917	● 7153918	● 7153919	● 7153920	-	-	-

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.		
				white-red	white-navy	white-green
4	200	550	12	-	○ 7150582	-
5	200	850	20	-	-	● 7150590
6	200	1150	27	● 7150597	● 7150599	● 7150598
8	200	1800	49	● 7150617	● 7150619	● 7150618
10	200	2800	71	● 7150633	● 7150636	● 7150634
12	150	3800	103	● 7150655	● 7150658	● 7150656
14	100	5000	140	● 7150580	● 7150583	-

Cover: Polyester 32 Core: Polyester

silver-red

silver-blue

silver-green

silver-black

black

silver

red

white-red

white-navy

white-green

Sirius Grip

- with soft Polyester to make it feel grippy in your hands
- a grippier option for steering your mainsheet by hand
- can be operated on small winches
- not suitable for aggressive winches and clutches

Sheet

Designed and best used for:

- ▶ performance oriented cruising sheet

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.			
				blue-white	black-white	red-white	silver-white
8	200	1500	49	● 7154587	● 7154502	● 7154503	● 7155544
10	200	2300	69	● 7154588	● 7154504	● 7154505	● 7155545
12	150	3000	103	● 7154586	● 7154498	● 7154499	● 7155546

Cover: Polyester/Polyester soft 24 Core: Polyester

blue-white

red-white

black-white

silver-white

Cross
Over

Sirius XTS

- special fiber mixture in the cover
- Robtec in the core to make your halyard move less
- increased abrasion-resistance
- lower stretch compared to our classic Sirius

Designed and best used for:

- ▶ performance oriented cruising halyard
- ▶ your first UHMWPE experience
- ▶ for more aggressive winches and clutches where other ropes are slipping

▶ Looking for higher breaking loads but a similar cover? Check out Admiral 10000 Plus (page 8 ↑) and Dinghy Star (page 17 ↓), depending on the diameter.

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	blue-gray-white	lime-gray-white	neonorange-gray-white	red-gray-white	white-gray-white
6	200	1340	27	● 7153759	● 7153760	○ 7153761	● 7153758	● 7154538
8	200	1500	45	● 7153763	● 7153764	○ 7153765	● 7153762	● 7154539
10	200	2900	59	● 7153767	● 7153768	○ 7153769	● 7153766	● 7154540
12	150	3500	96	● 7153771	● 7153772	○ 7153773	● 7153770	● 7154537

Cover: Polyester / Technora® / Robtec 32 Core: Robtec / XLF

blue-gray-white



lime-gray-white



neonorange-gray-white



red-gray-white



white-black-white



Orion

- great value for money
- multi-purpose rope
- plenty of color and diameter options
- performs well in clutches and on self-tailing winches
- not suitable for aggressive winches and clutches

Designed and best used for:

- ▶ entry level cruisers as an allround rope

▶ Looking for a sheet specifically? Check out Neptun (page 15 ↓).
▶ Looking for a performance-oriented rope that is more durable? Check out our Sirius range (page 13 ↑).

Ø	Length	BL	Weight	Color/Item no.							
mm	m	daN	g/m	red	navy	black	green	neon-yellow-black	neongreen-black	purple-black	pink-black
2	250	70	3	● 7182059	● 7182058	● 7182060	● 7182057	● 7158100	● 7158101	● 7158102	● 7158103
3	200	150	6	● 7182063	● 7182062	● 7182064	● 7182061	● 7158104	● 7158105	● 7158106	● 7158107
4	125	400	12	● 7182067	● 7182066	● 7182068	● 7182065	● 7158108	● 7158109	● 7158110	● 7158111
5	100	600	19	● 7182071	● 7182070	● 7182072	● 7182069	● 7158112	● 7158113	● 7158114	● 7158115
6	100	800	23	● 7182075	● 7182074	● 7182076	● 7182073	● 7153279	● 7153289	● 7153293	● 7153297
8	200	1400	41	● 7182079	● 7182078	● 7182080	● 7182077	● 7153280	● 7153290	● 7153294	● 7153298
10	200	2000	70	● 7182083	● 7182082	● 7182084	● 7182081	-	-	-	-
12	150	2500	89	● 7182087	● 7182086	● 7182088	● 7182085	-	-	-	-

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	white-red	white-blue	white-green	white	white-black
4	200	400	12	● 7182021	● 7182018	● 7182020	● 7182017	● 7182022
5	200	600	19	● 7182027	● 7182024	● 7182026	● 7182023	● 7182028
6	200	800	24	● 7182033	● 7182030	● 7182032	● 7182029	● 7182034
8	200	1400	42	● 7182039	● 7182036	● 7182038	● 7182035	● 7182040
10	200	2000	70	● 7182045	● 7182042	● 7182044	● 7182041	● 7182046
12	150	2500	89	● 7182051	● 7182048	● 7182050	● 7182047	● 7182052
14	100	3800	120	● 7182056	● 7182054	● 7182055	● 7182053	-

Cover: Polyester 16 Core: Polyester

neon-yellow-black



red



navy



black



green



neongreen-black



purple-black



pink-black



white-blue



white-red



white-green



white



white-black



Sheet

Neptun 500

- great choice if you usually work with Orion but are looking for a sheet specifically
- same characteristics as Orion, yet with a soft Polyester cover
- increased grip

Designed and best used for:

- ▶ sheets and controls with limited abrasion and relatively low loads

▶ Looking for something more durable? Check out Sirius Grip (page 13 ↑)

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	black	white	navy-blue	red	green
6	200	700	25	● 7153481	● 7150664	● 7150662	● 7150663	● 7155858	
8	200	1200	40	● 7153482	● 7150667	● 7150665	● 7150666	● 7155859	
10	200	1800	61	● 7153483	● 7150669	● 7150668	● 7150670	● 7155860	
12	150	2500	91	● 7153484	● 7150673	● 7150671	● 7150672	● 7155861	

Cover: Polyester Soft 16 Core: Polyester



Polyester is the key ingredient to a laid-back sailing experience.

It has so many different faces, as various constructions, braiding methods, cover-core-ratios and other aspects influence its performance and create a versatile product depending on your needs."

Marlene Lindmayr





Dinghy & Sportsboats

Dinghy Star Pro Ultra

- extremely high breaking load
- extremely low stretch
- extremely high abrasion resistance
- great grip
- core with STS technology
- high durability even in the most aggressive ratchet blocks
- possible to size down without sacrificing performance



Trim

Cross Over

Designed and best used for:

- ▶ tested and proven for use as tack line and gennaker halyard in the olympic 49er and Nacra 17 classes

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
4	100	1450	14	brown-red-blue ○ 7155471
7	100	4400	35	○ 7155874

Cover: PBO/Robtec 24/32 Core: Ocean STS®

brown-red-blue



Dinghy Star Pro

- high abrasion-resistance due to high-tech materials
- high durability
- low stretch

Designed and best used for:

- ▶ fast skiff and dinghy classes

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
3	100	630	8	white-brown ● 7151604
4	100	700	12	black-brown ● 7152667
5	100	1250	17	● 7152668
6	100	1750	22	● 7152669

Cover: PBO/Robtec 16/24/32/32 Core: Dyneema® SK99

white-brown
black-brown

Dinghy Star

- increased abrasion-resistance
- high durability
- the favorite sheet of 470 and 49er sailors

Designed and best used for:

- ▶ high performance halyards and sheets

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
4	100	600	9	blue-white ● 7153490 yellow-white ● 7153493 red-white ● 7153496 neongreen-white ● 7153798 white ● 7153797 neonorange-white ● 7155870
5	100	1100	15	● 7153491 ● 7153494 ● 7153497 ● 7153802 ● 7153801 ● 7155871
6	100	1650	19	● 7153492 ● 7153495 ● 7153498 ● 7153804 ● 7153803 ● 7155872
8	100	3300	39	● 7153500 ● 7153501 ● 7153499 ● 7153800 ● 7153799 ● 7155869

Cover: Dyneema®/Technora®/XLF 16/24/24/32 Core: Dyneema®

blue-white

yellow-white

red-white

neongreen-white

white

neonorange-white



Cross
Over

Dinghy Polytech

- extremely high flexibility
- great grip
- high abrasion-resistance
- easy to splice

Designed and best used for:

- ILCA dinghies use the 4mm version e.g. as an outhaul, cunningham and boom vang

Ø	Length	BL	Weight	Color/Item no.						
mm	m	daN	g/m	blue-black	neonorange-black	neongreen-black	violet-black	red-black	yellow-white	
4	100	500	10	● 7150214	● 7150215	● 7150211	● 7155722	● 7155456	● 7155634	
5	100	1200	18	● 7150220	● 7150222	● 7150216	● 7155875	● 7155455	● 7155633	

Cover: Polyester/Technora® 16 Core: Dyneema®

Cross
Over

Infinity Control

- easily spliced into endless loops due to balanced cover-core fiber ratio
- Robtec in the cover reduces stretch
- bright Polyester fibers allow you to distinguish between the ropes onboard easily

Designed and best used for:

- endless control lines on dinghies

Ø	Length	BL	Weight	Color/Item no.						
mm	m	daN	g/m	black-neongreen	black-neonorange	black-neonyellow	black-red	black	black-purple	black-blue
4	200	600	11	● 7154789	● 7154793	● 7154794	● 7154790	● 7154791	● 7154795	● 7154792
5	200	650	19	● 7154788	● 7154799	● 7154800	● 7154796	● 7154797	● 7154801	● 7154798

Cover: Robtec/Polyester 16 Core: Polyester

Cross
Over

Sirius


- firm construction
- mottled or traditional look

► Looking for more diameters of Sirius? Check out our Cruising section! (page 13 ↑).

Ø	Length	BL	Weight	Color/Item no.						
mm	m	daN	g/m	silver-red	silver-blue	silver-green	silver-black	black	silver	red
4	200	550	12	● 7153438	● 7153445	● 7153452	● 7153459	-	-	-
5	200	850	20	● 7153439	● 7153446	● 7153453	● 7153460	-	-	-
6	200	1150	27	● 7153440	● 7153447	● 7153454	● 7153461	● 7155881	● 7155880	● 7155879
8	200	1800	49	● 7153441	● 7153448	● 7153455	● 7153462	● 7155884	● 7155882	● 7155883

Ø	Length	BL	Weight	Color/Item no.			
mm	m	daN	g/m	white-red	white-navy	white-green	
4	200	550	12	-	○ 7150582	-	
5	200	850	20	-	-	● 7150590	
6	200	1150	27	● 7150597	● 7150599	● 7150598	
8	200	1800	49	● 7150617	● 7150619	● 7150618	

Cover: Polyester 32 Core: Polyester



Cross
Over

Dinghy Control


- bright Polyester fibers for many color options
- color-coated core
- standard for all dinghy and sports boat applications
- low stretch

Designed and best used for:

- ▶ control lines with increased claim on performance

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.							
				white-red	white-navy	white-green	white-yellow	white-orange	white-purple	white-pink	
1.7	100	150	2	● 7152124	● 7152129	● 7152134	● 7152139	● 7159445	● 7159446	● 7155856	
3	100	450	7	● 7152125	● 7152130	● 7152135	● 7152140	● 7158117	● 7158120	● 7155855	
4	100	700	10	● 7152126	● 7152131	● 7152136	● 7152141	● 7158121	● 7158122	● 7155709	
5	100	1200	16	● 7152127	● 7152132	● 7152137	● 7152142	● 7158123	● 7158124	● 7155710	
6	100	1650	23	● 7152128	● 7152133	● 7152138	● 7152143	● 7158125	● 7158126	● 7155857	

Cover: Polyester 16/24 **Core:** Robtec



Coppa Pro

- the ultimate sheet for the toughest applications
- high durability
- easy to splice and taper

Designed and best used for:

- ▶ more aggressive ratchet blocks

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
				white-brown	red-brown
6	100	1900	24	● 7153846	● 7155473
7	100	3000	35	● 7153845	● 7155474
8	100	3600	48	● 7154521	● 7155472

Cover: PBO/Robtec/Polyester soft 24 **Core:** Dyneema®



Coppa Dura

- easy to strip and splice
- low stretch
- great grip
- high abrasion-resistance
- the tough cover construction helps to keep the cover intact even if the product faces areas of increased friction

Designed and best used for:

- ▶ Jib Sheets and other areas of increased friction
- ▶ more aggressive blocks

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.			
				neonorange-black-white	neonyellow-white-black	blue-white-black	red-white-black
4	100	600	12	-	-	● 7152729	● 7152727
5.5	100	1400	21	-	-	● 7150888	● 7150889
7	100	2400	30	● 7155476	● 7155548	● 7150891	● 7150892
8	100	3200	31	○ 7155477	-	-	-
9	100	4900	53	● 7155475	● 7155547	● 7150885	● 7150886

Cover: Polyester/Polyester soft/Technora® 24 **Core:** Dyneema®



O-Kink

- for safe and fast maneuvers
- no creep under constant load
- very stiff
- extremely high durability
- reduces friction
- specially treated core eliminates stretch

Designed and best used for:

- ▶ perfect alternative to steel cables for life-lines as it is more flexible and has a longer service life than steel ropes
- ▶ great to use as gennaker sheet in 49er as J70 Backstay or Ilca Traveler

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
					gray
3	120	800	6		● 7158386
5	120	2500	18		● 7158387
7	120	3290	27		● 7150136

Material: Dyneema® 40 **Core:** Ocean STS®

Cross
Over

Sheet

Super Dinghy Sheet

- floating
- great grip
- high abrasion-resistance
- good control in aggressive ratchet blocks
- low water-absorption
- perfect wherever no tapering is required

Designed and best used for:

- ▶ lightweight sheet for dinghies & keelboats up to 30 feet

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
				white-orange
5.5	100	1000	22	7150466
7	100	1200	26	7150468
8.5	100	1500	39	7150464
				white-black
				7150465
				7150467
				7150463

Cover: Robtec/Technora®/XLF 24/32/32 Core: XLF



Racing Pro

- Robline's cover-only option
- can be manipulated in many different ways, e.g. by inserting Shockcord or an UHMWPE single braid
- great touch and feel
- works great in V-cleats (e.g. backstay controls on a Star boat)

Designed and best used for:

- ▶ main sheet on catamarans or wherever the travel of the rope is limited

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
				red-gray-white
7	100	1400	26	7151622
9	100	2400	43	7151608
				blue-gray-white
				7151623
				7151609
				black-gray-white
				7152774
				7152773

Material: Taslan/Polyester/Robtec



Dinghy Sheet

- durable
- does not kink
- great grip
- compact
- increased abrasion-resistance

Designed and best used for:

- ▶ entry level sheet for all dinghies and smaller keelboats

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
				red-gray
6	200	425	19	7152970
7	200	600	32	7159032
8	200	750	40	7152973
				black-gray
				7152971
				7152972
				7152974

Cover: Polyester/Polyamid 16 Core: Polyester



Dinghy Light

- floating
- good stretch characteristics
- cover maintains its form and offers good control in cleats
- use wherever small loads are expected
- does not absorb water
- good value for dinghy sailing school sheets

Designed and best used for:

- ▶ sheet and control line / often used as a tail for the unloaded part of a runner tail on big boats

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
				black-yellow
6	100	500	18	7159695
8	100	850	29	7159696
				red-yellow
				7159689
				blue-yellow
				7159692
				7159693

Cover: XLF 32 Core: XLF



Sheet

Mainlite

- does not kink
- lightweight
- three bright colors for good visibility available

Designed and best used for:

- ▶ mainsheet for single-handed dinghies

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	pink	yellow	black
6	200	680	24	● 7155983	● 7155991	-	
7	200	840	33	● 7156124	● 7156123	● 7155990	
8	200	1200	44	● 7156127	● 7156125	● 7156126	

Cover: Polyester 24 Core: XLF

black

pink

yellow

8-Plaited Dinghy

- the perfect all-rounder on all kinds of boats and yachts
- pre-stretched Polyester core
- durable Polyester cover
- dimensionally stable
- compact
- minimal water absorption

Designed and best used for:

- ▶ allround ropes on a dinghy where dimensional stability is important

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	red-silver	black-silver	blue-silver	white-silver
4	100	390	13	● 7159661	● 7159664	● 7159662	● 7159663	
5	100	560	21	● 7159666	● 7159669	● 7159667	● 7159668	
6	100	820	30	● 7159671	● 7159674	● 7159672	● 7159673	

Cover: Polyester 8 Core: Polyester

red-silver

black-silver

blue-silver

white-silver

Albatros

- floating towing line
- lightweight
- compact
- for dinghies and coach boats

Designed and best used for:

- ▶ towing line

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	red-blue	yellow-red	blue-yellow	pink
6	200	350	14	● 7153014	● 7153077	● 7153965	● 7155708	
8	200	650	24	● 7153080	● 7153081	● 7153966	● 7155863	
10	200	900	38	-	● 7153109	-	-	
12	100	1200	55		● 7154003	-	-	

Material: XLF 16

Cross
Over

red-blue

yellow-red

blue-yellow

pink

High Tech Shock Cord

- made from natural rubber
- this rope can stretch to double of its original length
- high breaking load
- low friction cover

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
				black	white
3	100	44	6	● 7150848	● 7150447
4	100	89	13	● 7150849	● 7150448
5	100	97	17	● 7150850	● 7150449
6	100	105	26	● 7150851	● 7150450
8	100	170	42	● 7150852	● 7150451

Cover: Robtec Core: Rubber




Shock Cord

- made from natural rubber
- high abrasion resistance
- compact

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.		
				white-red	black	blue
3	250	28	6	● 7157738	● 7159081	● 7153350
4	200	56	13	● 7157739	● 7159082	● 7153352
5	100	60	17	● 7155159	● 7155058	● 7153355
6	100	66	25	● 7155160	● 7159083	● 7153356
7	200	88	37	● 7153340	● 7152935	-
8	100	111	45	● 7155161	● 7159084	○ 7153357
10	100	166	81	● 7155162	● 7159085	-

Cover: Polyester Core: Rubber



Sailmakers

Luffline

- stiff
- durable
- strong enough for a grooved headstay system

Designed and best used for:

- lufflines, sailboard harness loops, foredeck netting

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
white				
3	500	220	7	● 7156135
4	500	250	10	● 7156363
4.5	500	280	15	● 7151404
5	500	490	19	● 7156136
6	500	670	33	● 7156345
7	500	1180	37	● 7156364
8	200	1220	48	● 7156365
9.5	500	1300	65	● 7156366
10	500	1400	65	● 7156362

Cover: Polyester 24 **Core:** Polyester



white

Leech Line

- low stretch
- performs best when used with clam cleats
- Polyester cover creates dimensional stability
- Robtec core ensures low stretch

Designed and best used for:

- leechline

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
red-silver navy-silver white-yellow-red pink-silver				
1.7	250	130	2	● 7159110 ● 7159121 ○ 7150874 ● 7155867
2.5	250	300	5	● 7159111 ● 7159122 ○ 7150875 ○ 7155711
3	200	500	7	● 7159112 ● 7159123 - ● 7155866
4	200	700	11	● 7159113 ● 7159124 ○ 7150877 ● 7155865
5	200	1000	16	● 7159114 ● 7159125 ○ 7150878 ● 7155864
6	200	1600	23	● 7159115 ● 7159126 ○ 7150873 ● 7155868

Cover: Polyester 32 **Core:** Robtec



red-silver

navy-silver

white-yellow-red

pink-silver

Trimline Orion 500

- high abrasion resistance
- high UV-resistance

Designed and best used for:

- low end leech line

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
white-red				
3	200	150	5	● 7182014
4	125	300	10	● 7182015
5	100	440	16	● 7182011

Cover: Polyester 16 **Core:** Polyester



white-red

High Tech STS® Single Braid Leech Line

- lightweight
- minimal stretch
- high UV-resistance

Designed and best used for:

- ▶ high-tech membrane sails

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
2,5	250	620	3	gray ● 7154556

Material: Ocean STS®



Dyneema® Chafe Sleeve

- prevents abrasion

Designed and best used for:

- ▶ particularly vulnerable cordage parts

Size	Ø mm	maximum spliced core size mm	Länge m	Gewicht g/m	Color/Item no. weiß
extra small	5-7	5	45	13	● 7156297
small	7-9	8	45	19	● 7156298
medium	9-12	10	45	25	● 7156299
large	12-14	12	45	41	● 7156301

Material: Dyneema®



Robtec Chafe Sleeve

- prevents abrasion

Designed and best used for:

- ▶ particularly vulnerable cordage parts

Size	Ø mm	maximum spliced core size mm	Länge m	Gewicht g/m	Color/Item no. schwarz
extra small	5-7	5	45	13	● 7156302
small	7-9	8	45	19	● 7156303
medium	9-12	10	45	25	● 7156304
large	12-14	12	45	41	● 7156305
extra large	14-16	14	45	93	● 7156306

Material: Robtec



Sirius XTS Cover

- to cover wearing points on your lines
- especially for very aggressive winches and sharp edges
- the special fiber mixture still helps to be slippery enough to move smoothly

Designed and best used for:

- ▶ covering your lines on tricky edges on your boat

Ø mm	Length m	Weight g/m	Color/Item no. neonorange-black-white	white-black-white
8	100	18	● 7155891	● 7155892
10	100	29	● 7155893	● 7155894

Cover: Polyester/Technora®/Robtec



Lazyjack Polybraid

- slippery enough for the sail to glide smoothly into the lazy bag
- excellent splicability
- resistant to environmental influences

Designed and best used for:

- ▶ lazy jack line

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
5	200	900	22	gray ● 7154543
7	200	1200	40	● 7154544

Cover: Polyester



Infinity Furl

- balanced cover-core ratio
- easily spliced into endless loops
- the construction allows you to keep the same diameter over a spliced area
- highly visible arrow design makes the direction visible when using the rope on water

Designed and best used for:

- ▶ furling line

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
8	200	1400	41	neonyellow ● 7156160
10	200	2000	70	● 7156159

Cover: Polyester 16 **Core:** Polyester



For more high-performance leech lines check out our Single Braids range!“

For more info see: page 10 ↑.

Stefanie Marisch



Ready-Made-Products

You can find more information about these lines in our
"Mooring & Anchor Lines" section. (starting page 37)



8-plait Mooringlines

Nylon 8-plait

End termination	Ø mm	Length m	Color/Item no.	
			white	black
Eye splice	12	6	● 7182656	● 7182660
	14	8	● 7182657	● 7182661
	16	10	● 7182658	● 7182662
Stainless steel thimble	12	30	● 7182659	-



3-strand Mooring- and Fenderlines

Rapallo

Eye mm	Ø mm	Length m	Color/Item no.		
			white	navy	black
250	10	4	○ 7182393	○ 7182399	○ 7182405
	10	6	○ 7182394	● 7182400	-
	10	10	○ 7182395	● 7182401	-
	12	4	○ 7182396	● 7182402	-
	12	6	○ 7182397	● 7182403	○ 7182409
	12	10	○ 7182398	● 7182404	-
350	14	4	-	○ 7182417	-
	14	6	○ 7182412	○ 7182418	-
	14	10	○ 7182413	○ 7182419	-
	16	4	-	○ 7182420	-
	16	6	○ 7182415	○ 7182421	-
	16	10	-	○ 7182422	-



Thimble	Ø mm	Length m	Color/Item no.	
			white	navy
Plastic	10	2.5	-	○ 7182441
	10	4.0	-	○ 7182442
	12	2.5	-	○ 7182443
	12	4.0	○ 7182434	○ 7182444
	12	40.0	○ 7182435	-
	14	2.5	-	○ 7182445
	14	4.0	○ 7182437	○ 7182446
	16	4.0	-	○ 7182447
	16	40.0	○ 7182440	-
	16	40.0	-	-
Stainless Steel	8	20	○ 7182448	-
	10	20	○ 7182450	-
	10	30	○ 7182451	-
	12	30	○ 7182452	-



Twisted Fenderlines 2 pieces/set

Eye mm	Ø mm	Length m	Color/Item no.	
			white	navy
40	6	1.5	○ 7182454	○ 7182459
	6	2.0	○ 7182455	○ 7182460
	8	1.5	○ 7182456	○ 7182461
	8	2.0	● 7182457	● 7182462
	10	2.0	○ 7182458	○ 7182463



Double Braid Mooring- and Fenderlines

► Please use an additional rubber bumper when more elongation is needed at your mooring place.

Vinga

Eye mm	Ø mm	Length m	Color/Item no.	
			navy	black
250	12	6	○ 7181008	○ 7181015
	14	6	○ 7181009	○ 7181016
350	16	6	○ 7181010	-
	12	12	○ 7181011	-
	14	12	○ 7181012	-
	16	12	○ 7181013	○ 7181020
	18	12	○ 7181014	-
	20	12	○ 7181175	○ 7181176

Rio

Eye mm	Ø mm	Length m	Color/Item no.	
			black-white	navy-blue
250	8	5	● 7181668	-
	10	6	○ 7181655	○ 7181671
	10	10	● 7181654	-
	12	6	-	○ 7181657
	12	7	○ 7181660	-
	12	10	● 7181658	○ 7181656
350	14	7	-	○ 7181663
	14	10	○ 7181664	○ 7181662
	16	8	-	○ 7181666
	16	10	○ 7181667	-

Thimble	Ø mm	Length m	Color/Item no.	
Stainless Steel			black-white	
	10	30	● 7181672	
	12	20	● 7181659	
	12	30	● 7181661	

Palma Elastic

Eye mm	Ø mm	Length m	Color/Item no.	
			black	
250	10	6	○ 7182098	
	10	10	○ 7182099	
	12	6	○ 7182100	
	12	10	○ 7182101	
350	14	8	○ 7182102	
	14	10	○ 7182103	
	16	8	○ 7182104	
	16	10	○ 7182105	

Braided Fenderlines 2 pieces/set

Eye mm	Ø mm	Length m	Color/Item no.	
			navy	
40	6	1.5	○ 7181021	
	6	2.0	● 7182111	
	8	1.5	● 7181225	
	8	2.0	● 7182113	



Buoy Mooring Line


Anchoring

- provides an advantage over conventional anchor chains
- special coating makes this line insensitive to algae and mussel growth

Designed and best used for:

- anchoring

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
				Buoy Mooring Line	Stainless steel thimble
20	110	5700	285	● 7151800	○ 7155087
22	110	7000	325	● 7157709	-
32	110	13500	583	● 7157153	-



Bonifacio Winch

Anchoring

- anchoring without a bow roller
- leaden core throughout the entire rope
- permits horizontal dragging of the anchor
- enhanced retention power
- dampens the boat's movements
- stainless steel thimble permits quick fastening of the anchor
- easy to stow thanks to the practical storage bucket
- polyester fibers keep the polyethane-coated core from slipping out
- corrosion resistant which protects the environment

Designed and best used for:

- anchoring where a heavy line helps to sink your anchor

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
					white
12	30	1600	240	● 7158464	
12	50	1600	240	● 7158465	
14	50	2000	350	● 7158466	
16	50	2400	378	● 7158524	



Poseidon

Anchoring

- leaded anchor rope
- leaded inserts over one quarter of the total length
- easy to drag horizontally
- enhanced retention power
- easy to lift
- delivered in a bag
- stainless steel thimble permits quick fastening of the anchor
- corrosion resistant which protects the environment

Designed and best used for:

- anchoring where some lead helps to sink your anchor

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
					white
10	50	1700	-	○ 7152661	
12	50	1900	-	● 7158526	
14	50	2600	-	● 7158527	
16	50	3700	-	● 7158528	

Black is available on request: 10mm 30m, 12mm 35m, 14mm 40m



Miami

Dock Line

- shock absorption
- excellent stretch characteristics due to integrated heavy-duty rubber shock absorber
- high abrasion resistance
- integrated eye splices

Designed and best used for:

- ▶ permanent mooring in harbours - if you need an eye splice

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
				black	navy
12	6	2700	67	○ 7152917	-
14	6	3200	96	○ 7152918	○ 7152887
16	6	4400	119	○ 7152919	-



black

navy

Extension Mooring

Dock Line

- shock absorption
- excellent stretch characteristics due to integrated shock absorber
- integrated eye splice with stainless steel thimble

Designed and best used for:

- ▶ permanent mooring in harbours

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
				black	
12	6	2430	-	● 7157363	
14	6	2900	-	● 7151798	
16	6	4100	-	● 7151799	



Wire Lock

- no scratching or dents
- 7x19 stainless steel wire with 32-plait PES cover
- high abrasion resistance
- core is protected from UV radiation
- splices are protected by a rubber sleeve

Designed and best used for:

- ▶ fixing your boat on the trailer

Ø mm	Length m	Color/Item no.	
		black	
10	1.5	● 7159713	
10	3.0	● 7157700	
10	5.0	● 7157698	



Mooring Rope Set

- featuring our classic Rio
- six mooring ropes
- two different lengths
- with one spliced eye each (250mm and 350mm, respectively)

Designed and best used for:

- ▶ a ready-to-go package to have all 6 mooring lines (4 regular ones + 2 springs) for your boat

Ø mm	Length m	Eye splice mm	Color/Item no.	
			black	
10	4 pcs. 4 m/2 pcs. 10 m	250	● 7181558	
12	4 pcs. 4 m/2 pcs. 10 m	250	● 7181559	
14	4 pcs. 6 m/2 pcs. 10 m	350	● 7181560	
16	4 pcs. 6 m/2 pcs. 10 m	350	● 7181561	



Tapered Lines

Spi Sheet Endless High Tech

Length Total m	Length Cut m	Ø mm	Material	Color/Item no.		Designed and best used for
11	3.0 - 5.0 - 3.0	4.0 - 6.0 - 4.0	Polyester / Technora® / Dyneema®	Red-Black	7150483	420
18	4.5 - 9.0 - 4.5	4.0 - 6.0 - 4.0	Polyester / Technora® / Dyneema®	Red-Black	7150484	470
28	4.0 - 20.0 - 4.0	5.0 - 9.0 - 5.0	Polyester / Technora®	Red- Black	7152776	-
32	10.0 - 12.0 - 10.0	5.0 - 8.0 - 5.0	Polyester / Technora® / Robtec	Red - Black	7154547	-

Generic tapered

Length Total m	Length Cut m	Ø mm	Material	Color/Item no.		Designed and best used for
				Green-Silver	Red-Silver	
24	10.0 - 10.0	4.0 - 6.0	Polyester / Dyneema®	7158135	7158139	Spi Sheet
30	15.0 - 15.0	7.0 - 10.0	Polyester / Dyneema®	7157541	7157542	

Spi Sheet

Length Total m	Length Cut m	Ø mm	Material	Color/ Item no.		Designed and best used for
				Green-Silver	Red-Silver	
20	7.0 - 13.0	5.2 - 8.3	Polyester / Robtec	7157472	7157471	Dragon & H-Boat

Optimist Sheet


Length Total m	Length Cut m	Ø mm	Material	Color/Item no.		Designed and best used for
7	1.5 - 2.5 - 3.0	6.5 - 9.0 - 6.5	Polyester / Polyester Soft	White-Black	7150296	Optimist
7	1.5 - 2.5 - 3.0	6.5 - 9.0 - 6.5	Polyester	Blue-Silber	7157818	
7	1.5 - 2.5 - 3.0	6.5 - 9.0 - 6.5	Polyester / XLF	Red-Silver	7157408	
7	1.5 - 2.5 - 3.0	6.5 - 9.0 - 6.5	Polyester / Technora®	Blue-Black	7154573	Optimist (high tech)

Catamaran Sheet

Length Total m	Length Cut m	Ø mm	Material	Color/Item no.		Designed and best used for
16	10.0 - 6.0	9.5 - 6.5	Polyester	Blue-Silver	7157457	Catamaran
11	3.5 - 7.5	4.5 - 8.0	Polyester / Technora® / Robtec	Red-Black	7154570	

Jib Sheet High Tech

Length Total m	Length Cut m	Ø mm	Material	Color/Item no.		Designed and best used for
14	2.0 - 10.0 - 2.0	5.0 - 8.0 - 5.0	Polyester / Technora® / Robtec	Blue	7154555	Dragon & H-Boat



There is no perfect option for your boat?

Individually adapt the lines to your needs by cutting them to the desired length. You own a pirate and want a tapered line? Try item 7150484 and cut off 1m on each side - now you have the perfect sheet for your boat!"

Fernando Borja



Mainlite

► Looking for more information about this product? Check out page 21↑.

Size	Finished Ø mm	Color/Item no.		
		pink	yellow	black
6	13,5	7156241	7156240	-
7	13,5	7156243	7156242	-
8	13,5	-	-	7156239



Racing Pack

Dinghy Control & Infinity Control

- handy cardboard box
- includes four different colors
- 25m each, 100m in total
- available in 2 diameters (4mm or 5mm)

Designed and best used for:

- the ready-to-go-feeling for dinghy sailors

Racing Pack	Ø mm	Item No.	Color	Content
Dinghy Control	4	7156106	white/red	4 x 25 m
	5	7156107	white/yellow	
	5	7156107	white/purple	
Infinity Control	4	7156108	black/neon-green	4 x 25 m
	5	7156109	black/neon-orange	
	5	7156109	black	

OPTIONS

► **Dinghy Control Packs feature:**

- white/red
- white/yellow
- white/purple
- white/navy



► **Infinity Control Packs feature:**

- black/neon-green
- black/neon-orange
- black
- black/blue

Soft Shackle Ocean

- alternative to steel shackles
- available in the three colors of our Ocean All Color range
- minimal color fading

Designed and best used for:

- decreasing friction between a rope and hardware

Size	Finished Ø mm	Closed Length mm	BL daN	Color/Item no.		
				black	red	blue
XS	3,5	50	450	7083118	7083100	7083104
S	4	65	1000	7083119	7083101	7083105
M	6	90	1700	7083120	7083102	7083106
L	9	100	3000	7083121	7083103	7083107
XL	12	70	5000	7083122	-	-
XXL	14	100	7000	7083123	-	-



Mini-Spools

Your spare kit on your boat, short length, ready to use!

Ocean 3000

► Ocean 3000, but make it mini. (page 11 ↑)

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
2	25	400	2	gray ● 7150568
3	15	800	5	● 7150569
4	10	1600	8	● 7159712

Available in boxes of 10 units each



Dinghy Control

► Dinghy Control, but make it mini. (page 19 ↑)

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
4	10	60	1	sorted by color (navy-white, red-white) ○ 7154534

Cover: Polyester Core: Robtec



Orion

► Orion, but make it mini. (page 14 ↑)

Ø	Length	BL	Weight	Color/Item no.		neon						
mm	m	daN	g/m	red	navy	yellow	neongreen	purple-black	pink-black	black	sorted by color	
2	30	70	3	● 7182003	● 7182004	● 7158130	● 7158129	● 7158131	● 7158132	● 7182007	● 7182009 *1	
3	15	150	6	● 7182005	● 7182006	● 7158159	● 7158160	● 7158161	● 7158162	● 7182008	● 7182010 *1	
2	30	70	3	-	-	-	-	-	-	-	● 7158133 *2	
3	15	150	6	-	-	-	-	-	-	-	● 7158134 *2	

Cover: Polyester Core: Polyester

*1 red, navy, black *2 neongreen, neonyellow, purple, pink



Classic-Tex

► Classic-Tex, but make it mini. (page 40 ↓)

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
3	15	120	5	traditional ● 7150552

Material: Polyester



Polyester Color

- high abrasion-resistance
- high UV-resistance
- 8-plait Polyester

Designed and best used for:

- flag or trim line

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	red	blue	green	black	sorted by color
3	20	150	4	● 7150179	● 7150182	○ 7150128	● 7150185	● 7150164

Material: Polyester



XLF

- very grippy all-purpose rope
- 8-plait line made of XLF

Designed and best used for:

- flag or trim line

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	white				
2	40	50	2	● 7153117				
3	15	100	3	● 7153095				

Material: XLF



Opti Dinghy Lashing

- minimum windage and weight
- grippy cover which is for knots
- low stretch

Designed and best used for:

- lashing the sails to the spars

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	sorted by color (red-silver, lime-silver)				
1	15	60	1	● 7153060				

Material:



Leech Line

- Leech Line, but make it mini. (page 23 ↑)

Designed and best used for:

- your spare kit on your boat, short length, ready to use

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	red-silver				
1.7	10	130	2	● 7152670				

Cover: Polyester Core: Robtec



Shock Cord

- Shock Cord, but make it mini. (page 22 ↑)

Ø	Length	BL	Weight	Color/Item no.				
mm	m	daN	g/m	black/red-white sorted				
3	15	28	6	● 7151511				
4	10	56	13	● 7151514				

Cover: Polyester Core: Rubber



WHIPPING TWINE



Whipping Twine

Whipping Twine Dyneema®

- high breaking load
- smooth surface
- easy to handle
- requires no additional waxing

Designed and best used for:

- ▶ whipping the bitter end of the rope / sewing work



Ø mm	Length m	Color/Item no.			
		white	blue	red	black
1	50	● 7154091	● 7150228	● 7150225	● 7154743

Available in boxes of 10 units each

Waxed Whipping Twine

- high wax content
- special wax formula for easy use
- 1mm version is braided and will not open due to flat and strong seam

Designed and best used for:

- ▶ whipping the bitter end of the rope / sewing work



Ø mm	Length m	Color/Item no.							
		white	black	red	blue	green	brown	sorted by color	
0.5	100	● 7159635	-	-	-	-	-	-	
0.8	80	● 7159676	● 7159677	● 7159680	● 7159678	● 7159679	● 7159685	● 7150109	
1.0	46	● 7159640	-	-	-	-	-	-	
1.5	32	● 7159681	-	-	-	-	-	-	

Available in boxes of 10 units each

Waxed Whipping Twine and Needle

- ready-to-go package
- Waxed Whipping Twine and a sailmaker needle
- ready for use

Designed and best used for:

- ▶ whipping the bitter end of the rope / sewing work



Ø mm	Length m	Color/Item no.		
		white	brown	navy
0.8	80	● 7159716	○ 7159687	● 7159843
1	46	○ 7154321	-	-

” To secure your splice, whipping is essential.

For Polyester lines Waxed Whipping Twine is sufficient, but for all performance lines whipping twine Dyneema® is recommended.”

Peter Andersson





Mooring & Anchor Lines

Palma Elastic

- high stretch
- secure mooring at rougher docking sites
- protects the yacht's mooring cleats by avoiding high shock loads

Designed and best used for:

- Mooring places where high breaking load and high elongation is needed

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
				navy-red
10	200	2190	60	7181231
12	150	3900	104	7181232
14	150	4620	115	7181233
16	150	6290	149	7181624
18	100	10110	211	7181234
20	100	11500	240	7181625
				black
				7182089
				7182090
				7182091
				7182092
				7182093
				7182094

Cover: Polyamid 16/24 **Core:** Polyamid

navy-red

black

Nylon 8-plait

- high stretch
- high breaking load
- unique 8-plait construction
- little storage space needed

Designed and best used for:

- Anchor rope where high breaking load and high elongation is needed but only limited storage space is available onboard.

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
				white
12	150	3560	88	7182554
14	100	4090	106	7182555
16	100	4630	133	7182556

Material: Polyamid

white

Newport 8-plait

- excellent splicability
- unique 8-plait construction
- little storage space needed

Designed and best used for:

- Anchor rope where high breaking load is needed but only little space available

Ø	Length	BL	Weight	Color/Item no.
mm	m	daN	g/m	
				white
12	150	3100	112	7181550
14	100	3750	142	7181551
16	150	4700	159	7181552
				black
				7182106
				7182110
				7182112

Material: Polyester

white

black





Rio Green

- same requirement profile as Rio
- core is made of recycled Polyester
- green identification stripe highlights the sustainability aspect

Designed and best used for:

- ▶ standard mooring places

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
				black
10	200	1800	69	● 7155464
12	150	2500	97	● 7155465
14	100	3500	127	● 7155466
16	150	4000	163	● 7155463

Cover: Polyester 24 **Core:** recycled Polyester

black



Rio

- classic design
- high abrasion resistance
- great grip
- high breaking load
- high UV-resistance
- excellent splicability

Designed and best used for:

- ▶ standard mooring places for bigger boats where high breaking load is needed

Anchoring

Dock
Line

- ▶ Please use an additional rubber bumper when more elongation is needed at your mooring place.

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
				white-black navy black gray
8	200	1400	42	● 7181653 ● 7181651 ● 7181652 ● 7151652
10	200	2000	69	● 7181635 ● 7181633 ● 7181634 ● 7151654
12	150	2800	97	● 7181638 ● 7181636 ● 7181637 ● 7151669
14	100	3900	127	● 7181641 ● 7181639 ● 7181640 ● 7151684
16	150	4500	163	● 7181644 ● 7181642 ● 7181643 ● 7151685
18	100	5500	196	● 7181647 ● 7181645 ● 7181646 ● 7151686
20	100	6600	260	● 7181650 ● 7181648 ● 7181649 ● 7151698
24	200	10000	384	● 7157946 ● 7159041 ● 7159053 ● 7151699
28	120	13500	455	● 7157948 ● 7159043 ● 7159055 ● 7151706
32	165	15600	610	● 7157949 ● 7159044 ● 7159056 ● 7151648

Cover: Polyester 24 **Core:** Polyester

gray

white-black

navy

black



» If you prefer your mooring lines to be spliced, check out our ready made's range. [page 26 ↑](#)

Can't find anything that meets your requirements?
Most of our partners offer individually spliced solutions.
this goes not only for mooring lines but all types of ropes.
You can find your local contact here: [page 66-67 ↓](#)

Henric Jacobson



Rapallo

- high abrasion resistance
- high UV-resistance
- high stretch
- an all-time-classic

Designed and best used for:

- mooring places which enquire more elongation

► For mooring places with really strong swell please still use a rubber bumper.

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.		
				white	navy	black
6	200	750	24	● 7182374	● 7182381	-
8	200	1200	43	● 7182375	● 7182382	-
10	200	1950	68	● 7182376	● 7182383	● 7182388
12	150	2700	94	● 7182377	● 7182384	● 7182389
14	100	3900	133	● 7182378	● 7182385	● 7182390
16	70	4600	163	● 7182379	● 7182386	● 7182391
18	70	5700	212	● 7182380	● 7182387	● 7182392
20	100	7000	244	● 7151673	● 7157371	● 7152232
24	100	10200	351	● 7151675	● 7157540	-
28	250	13500	490	● 7157940	● 7157934	-
32	125	15300	620	● 7157942	● 7157936	-
36	200	2100	830	● 7157943	● 7157937	-

Material: Polyester

Anchoring

Dock
Line

black

white

navy

Cormoran

- great value for money
- buoyant
- dirt-repellent
- lightweight

Designed and best used for:

- Mooring places which enquire most elongation but do not require high breaking load.

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.		
				navy	black	white
6	200	500	17	● 7159065	● 7159073	● 7153169
8	200	900	29	● 7159066	● 7159074	● 7153028
10	200	1300	43	● 7159067	● 7159075	● 7153049
12	150	1800	59	● 7159068	● 7159076	● 7153270
14	100	2300	80	● 7159069	● 7159077	● 7153273
16	70	3000	106	● 7159070	● 7159078	● 7151905
18	70	3500	136	● 7159071	● 7159079	● 7158581
20	100	4000	148	● 7159072	● 7159080	● 7153190

Material: XLF

Anchoring

Dock
Line

white

navy

black

Traditional Ropes

Classic-Tex

- behaves like a state-of-the-art yachting rope
- long service life
- low stretch
- zero water absorption

Designed and best used for:

- ▶ traditional yachts with performance oriented sailing

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	traditional
3	400	120	7		● 7150555
4	200	165	9		● 7150554
6	200	355	18		● 7155312
8	200	595	29		● 7155313
10	200	900	46		● 7155314
12	150	1340	63		● 7155315
14	100	1740	85		● 7155316
16	150	2180	117		● 7155317
24	100	4830	230		● 7155369
30	40	5700	390		● 7155324

Material: 3 4 mm: Polyester, 6 30 mm: XLF

traditional



Spunflex

- a symbiosis between traditional looks and cutting edge tech
- long service life
- low stretch
- zero water absorption

Designed and best used for:

- ▶ multi-purpose rope, decorative and architectural purposes

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	traditional
6	110	550	17		● 7152448
6	220	550	17		● 7157170
8	110	960	29		● 7152449
8	220	960	29		● 7157171
10	110	1430	45		● 7152450
10	220	1430	45		● 7157172
12	110	2030	74		● 7158473
12	220	2030	74		● 7157173
14	110	2790	94		● 7157180
14	220	2790	94		● 7157100
16	220	3500	124		● 7157046
18	220	4500	134		● 7157047
20	220	5500	172		● 7157174
22	110	6700	219		● 7152452
22	220	6700	219		● 7157175
24	220	7500	254		● 7157176
26	220	8900	320		● 7157177
28	220	10100	347		● 7157048
32	220	11000	446		● 7157178

Material: XLF

traditional



Globe Pro

- fully coated core
- easy to splice and taper
- good grip in clutches and winches
- developed in close cooperation with professional riggers
- exceptional price/performance ratio


Designed and best used for:

- ▶ traditional yachts with performance oriented sailing

Ø	Length	BL	Weight	Color/Item no.	
				white	brown
6	200	2000	25	-	● 7153956
8	200	3400	43	● 7151835	● 7153957
10	200	5200	62	● 7151914	● 7153958
12	150	7200	90	● 7151926	● 7153959
14	200	9400	124	● 7151944	● 7153960
16	150	16500	174	-	● 7153955

Cover: Polyester 24 Core: Robtec

Cross
Over



Allround Ropes

Floating Security Line

- buoyant
- excellent splicability
- highly visible due to signal colors

Designed and best used for:

- ▶ topline

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
8	200	700	21	yellow-red ● 7153015
10	200	900	33	yellow-red ● 7153016

Material: XLF

yellow-red



Polyester 16

- high abrasion-resistance
- great stretch values
- 16-plait cover
- from 4mm upwards, it features an 8-plaited core

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
2	400	100	2	white ● 7157770
2.5	280	150	5	white ● 7157769
3	200	220	6	white ● 7151013
4	200	370	10	white ○ 7151016
5	200	500	17	white ○ 7151019
6	200	600	22	white ○ 7151022

white




Polyester 8

- low stretch
- 8-plait

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
1	600	40	1	white ● 7157771
2	400	90	2	white ● 7157772
3	200	180	4	white ● 7151126
4	200	310	7	white ● 7151110
5	200	450	13	white ● 7151736
6	200	550	19	white ● 7151021
8	200	950	37	white ● 7151024
10	200	1500	54	white ● 7151025

white



Polyester Color 8

- high UV-resistance
- abrasion resistance
- 8-plait

Designed and best used for:

- ▶ trim and flag line


Ø mm	Length m	BL daN	Weight g/m	Color/Item no.
3	200	150	4	black ● 7150025
4	200	280	7	black ● 7150030
5	200	450	13	black ● 7150106
6	200	550	16	black ● 7150032
				red ○ 7150022
				blue ○ 7150023
				green ○ 7150024
				-
				-
				-

red

blue

green

black



XLF 8

- buoyant
- high stretch
- 8-plait

Ø	Length	BL	Weight	Color/Item no.	
mm	m	daN	g/m		
3	500	100	3	white	plastic card 50m
				● 7153001	○ 7153090
4	500	200	5.4	● 7153002	-
5	200	320	9	● 7153004	-
6	200	450	14	● 7153008	-
8	200	650	27	● 7153009	-
10	200	1100	40	● 7153010	-

white

Polyamide 16 Start

- high abrasion resistance
- low stretch
- 16-plait cover
- 8-plait core

Designed and best used for:

- engine starter rope

Ø	Length	BL	Weight	Color/Item no.	
mm	m	daN	g/m		
3	200	210	5.7	white	● 7157760
3.5	100	290	8	● 7150034	
4	100	310	10.3	● 7150035	
4.5	100	400	11	○ 7150036	
5	100	450	13	● 7150037	

white

Versatility is the key!

The Swiss Army knife of rope categories. Whether you are towing, securing, or simply decorating, the flexibility of our allround ropes adds yet another dimension to your on-board toolbox.“

Alexander Eriksson





AUSTRIAN SAILING FEDERATION

Kitelines



Flying Lines 8-braid

Tarifa

- great value for money

Designed and best used for:

- ▶ standard freestyle kitesurfing

Product name	Ø mm	BL daN	Spool m	Art no.		
				red	gray	blue
Tarifa FL-340T	1.40	340	1000	○ 7154629	○ 7154630	○ 7155124



Tarifa minispools

Designed and best used for:

- ▶ your spare kit

Product name	Ø mm	BL daN	Spool m	Art no.		
				red	gray	blue
Tarifa FL-340T minispool*	1.40	340	60	○ 7154462	○ 7154464	-

*All minispools come in usable packaging consisting of 12 spools, sellable at the POS.



Garda

- for true professionals
- advanced in terms of elongation, breaking load and shrinking

Designed and best used for:

- ▶ race kitelines

Product name	Ø mm	BL daN	Spool m	Art no.		
				red	gray	blue
Garda FL-239	1.10	230	1000	● 7154621	● 7154622	● 7155121
Garda FL-389	1.30	380	1000	● 7154623	● 7154624	● 7155123



Garda minispools

Designed and best used for:

- ▶ your spare kit

Product name	Ø mm	BL daN	Spool m	Art no.		
				red	gray	blue
Garda FL-239 minispool*	1.10	230	60	○ 7154446	○ 7154448	○ 7155428
Garda FL-389 minispool*	1.30	380	60	○ 7154450	○ 7154452	-

*All minispools come in usable packaging consisting of 12 spools, sellable at the POS.



Flying Lines 12-braid

Capetown

- basic series among 12-braid lines
- excellent splicability
- high durability

Designed and best used for:

- ▶ standard freestyle kitesurfer who is more often on the water

Product name	Ø mm	BL daN	Spool m	Art no.	
				red	gray
Capetown FL-400	1.70	400	1000	● 7154631	● 7154632
Capetown FL-500	1.80	500	1000	● 7154635	● 7154636
Capetown FL-610	2.20	610	1000	● 7154637	● 7154638



Capetown minispools

Designed and best used for:

- ▶ your spare kit

Product name	Ø mm	BL daN	Spool m	Art no.	
				red	gray
Capetown FL-400 minispool*	1.70	400	60	○ 7154466	● 7154468
Capetown FL-500 minispool*	1.80	500	30	○ 7154470	● 7154472
Capetown FL-610 minispool*	2.20	610	30	○ 7154474	○ 7154476

*All minispools come in usable packaging consisting of 12 spools, sellable at the POS.




Maui

- star among the kiteline range
- excellent splicability
- high breaking load
- low elongation
- due to Dyneema® SK99 fibers, a smaller diameter is possible at the same breaking load without compromising on safety

Designed and best used for:

- ▶ state-of-the-art for all types of kitesurfing if you want to enjoy flawless time on the water

Product name	Ø mm	BL daN	Spool m	Art no.		
				red	gray	blue
Maui FL-389	1.40	380	1000	● 7154625	● 7154626	● 7155125
Maui FL-409 DC	1.50	400	1000	● 7155825	● 7155826	● 7155824
Maui FL-509	1.70	500	1000	● 7154627	● 7154628	● 7155199



Maui minispools

Designed and best used for:

- ▶ your spare kit

Product name	Ø mm	BL daN	Spool m	Art no.		
				red	gray	blue
Maui FL-389 minispool*	1.40	380	60	○ 7154454	● 7154456	-

*All minispools come in usable packaging consisting of 12 spools, sellable at the POS.



Complementary Lines

Depower Line

- special braiding and coating technology
- maximum wear resistance
- Single Yarn Impregnation (SY) = every yarn is separately impregnated
- high abrasion-resistance

Designed and best used for:

- ▶ depower line on freestyle kites

Product name	Ø mm	BL daN	Spool m	Art no.	
				gray-white	darkgray
DPL-1600SY	4.80	1600	300	● 7153582	-
DPL-2200	4.70	2200	300	-	● 7153549

gray-white

darkgray

Safety Line

- minimal color fading
- proven characteristics of Ocean All Color
- clear coating for protection

Designed and best used for:

- ▶ safety line on freestyle kites

Product name	Ø mm	BL daN	Spool m	Color/Item no.		
				all black	all red	all blue
Ocean All Color	2	400	200	● 7153962	● 7156020	● 7156028
Ocean All Color	2.5	500	200	● 7154123	● 7156021	● 7156029
Ocean All Color	3	800	200	● 7153963	● 7156022	● 7156030
Ocean All Color	4	1600	200	● 7154125	● 7156023	● 7156031
Ocean All Color	5	2300	200	● 7153961	● 7156024	● 7156032
Ocean All Color	6	3200	200	● 7154489	● 7156025	● 7156033

all black

all red

all blue

Leader Line

- in general, safety lines are also usable as leader lines
- this special diameter was developed for a very specific bar construction
- both types of lines have the same finish

Designed and best used for:

- ▶ leader line on freestyle kites

Product name	Ø mm	BL daN	Spool m	Art no.	
				red	gray
OL-965	2.70	965	500	● 7151232	● 7151231

red

gray

Polyester Sleeve

- developed to fit the most common Robline flying lines

Designed and best used for:

- ▶ splices and end terminations

Product name	Ø mm	Spool m	Art no.	
			red	gray
Polyester Sleeve	2.5	200	● 7154597	● 7154598

red

gray

Super Downhaul Line

- flexible, for small radius and narrow sheaves
- low stretch
- abrasion-resistant

Designed and best used for:

- ▶ windsurfing

Ø mm	Length m	BL daN	Weight g/m	Color/Item no.	
4	100	800	8.5	white	
				● 7159930	

Cover: Dyneema® Core: Dyneema®

white



Splicing Gadgets

Robline Pro Coating

- special preservative coating for UHMWPE/Dyneema® lines
- protects the braiding from the elements
- included tinting colors allow for custom color design

► **Pro tip:** shake the bottles first, then mix Robline Pro Coating with water 2:1 and add a splash of color as you please!



Item	Item no.
Robline Pro Coating	7156066

Heat-cutting Device

- replaces working with scissors and a lighter
- cutting and fusing in one single step
- available with power cord or two rechargeable batteries in a protective case

Item	Item no.
Heat-cutting device with power cord	7080017
Heat-cutting device with rechargeable battery*	7080216
Cutting knife	7155023

*only available in Europe



D-Splicer Needle

- the preferred splicing tool of pros
- can be used for all types of braided ropes
- made of stainless steel
- with a plastic handle

Item	Item no.
F 10 (up to 2 mm)	U130151
F 15 (for 2-4 mm)	U130147



Stainless Steel Splicing Set with Hooks

- for polyester and high tech yachting ropes
- from 6 to 14 mm

Item	Item no.
Stainless steel splicing set with hooks	7155097



Dyneema® Scissors

- with microserration for high tech fibers

Item	Item no.
Dyneema® Scissors	7155379



Hardware

Our splicing service also includes hardware options. Please note that these can only be ordered in combination with our splicing service.

Thimble Shackle Captive Pin

- perfect for our Admiral range
- twist lock
- doesn't get lost

Bolt size mm	Width mm	WL kg	BL kg	Item no.
8	16	1000	3000	● 1494
10	20	1520	5000	● 1495



Key Pin Shackle with Bar

- Key pin shackle with bar
- perfect for our Sirius range
- snap lock
- doesn't get lost

Bolt size mm	Width mm	WL kg	BL kg	Item no.
5	13	400	1200	● 81432
6	16	520	1700	● 81433
8	21	800	2500	● 81434



Speedlink HR Trigger Snap Shackle

- can be opened under load
- universal eye

Length mm	Weight g	WL kg	BL kg	Item no.
74	59	1100	2300	● 2650
87	97	1440	3600	● 2652
108	173	2320	5400	● 2654



MXEvo-Captive Pin

- ideal as 2:1 shackle
- pin doesn't get lost

Size (pin) mm	Width mm	WL kg	BL kg	Item no.	Pin
8	26	1050	2300	● 11603	
8	28	1760	4100	● 11604	
10	34	2640	6000	● 11605	



Thimbles

- polished aluminium
- lightweight
- high breaking load

Max. Rope Ø mm	Item no.
5	● MT0507
7	● MT0710
10	● MT1014
14	● MT1420
16	● BT1628



Open Thimble

- heartshaped
- only for lines with a cover
- not suitable for our Ocean range
- Stainless steel A4
- AISI 316

Size mm	Length mm	Inner length mm	Inner width mm	Item no.
2	22,5	17	9	PK11000 2
3	25	18	10	PK11000 3
4	28	20	11	PK11000 4
5	32	23	13	PK11000 5
6	39	27	15	PK11000 6
8	51	38	22	PK11000 8
10	65	48	27	PK1100 10
12	70	53	29	PK1100 12
14	76	57	32	PK1100 14
16	86	67	40	PK1100 16
18	102	75	45	PK1100 18
20	115	84	52	PK1100 20
22	125	96	56	PK1100 22
24	144	108	62	PK1100 24
32	200	160	88	PK1100 32



Closed Thimble

- heartshaped
- for thin and single-braid UHMWPE
- Stainless steel A4
- AISI 316

Size mm	Length mm	Inner length mm	Inner width mm	Item no.
2-3	26	21	12	HD 3
4-5	30	23	13	HD 4
6-8	44	34	20	HD 57



Closed Thimble

- for single-braid UHMWPE
- for high loads
- We recommend choosing one size bigger than the rope diameter for dock lines
- Stainless steel A4
- AISI 316

Size mm	Length mm	Inner length mm	Inner width mm	Item no.
2	21	15	9	85364 02
4	32	21	31	85364 04
6	43	28	17	85364 06
8	58	43	24	85364 08
10	68	51	28	85364 10
12	86	62	37	85364 12
14	100	74	39	85364 14
16	110	82	47	85364 16
19	124	94	60	85364 19
22	126	100	63	85364 22
25	146	115	74	85364 25



Thimble with Bar

- heavy-duty thimble
- perfect for dock lines
- perfect for static use (e.g. buoy lines)

Size mm	Length mm	Inner length mm	Inner width mm	Item no.
6	37	11	14	86364 06
8	50	15	19	86364 08
10	53	21	26	86364 10
12	60	25	27	86364 12
14	74	30	34	86364 14
16	83	30	40	86364 16
18	92	32	41	86364 18
20	106	35	46	86364 20



Nylon Thimble

- for buoys and long-term docking

Size mm	Inner length mm	Inner width mm	Item no.
4	19	13	8144533 04
6	22	16	8144533 06
8	38	23	8144533 08
10	40	24	8144533 10
12	41	24	8144533 12
14	44	26	8144533 14
16	54	34	8144533 16
18	56	34	8144533 18
20	57	35	8144533 20



Bow Shackle with Nut and Split Pin

- perfect for buoys and long-term docking

Size mm	Inner length mm	Inner width mm	Item no.
4.8	6.4	1320	81406840 4.8
6.4	8.0	2000	81406840 6.4
8.0	9.5	3000	81406840 8.0
9.5	11.0	4000	81406840 9.5
12.7	16.0	8000	81406840 12.7
16	19.0	12000	81406840 16
19	22.0	16000	81406840 19
22	25.0	20000	81406840 22



Standard Bail Trigger Snap Shackle

- lightweight
- stays closed
- small eye

Size	Length mm	WL kg	BL kg	Item no.
5	75	1130	2260	T5-SB-7083220
8	90	1800	3600	T8-SB-7153223
12	100	2700	5400	T12-SB-7155222
20	150	4540	9080	T20-SB-7083002



Tylaska
MARINE & AQUARIUM

Large Bail Trigger Snap Shackle

- lightweight
- stays closed
- large eye

Size	Length mm	WL kg	BL kg	Item no.
T5-LB	75	1130	2260	7083221
T8-LB	90	1800	3600	7083222
T12-LB	100	2700	5400	7080215
T20-LB	150	4540	9080	7083003



Tylaska
MARINE & AEROSPACE

J-Lock Snap Shackle

- trigger shackle
- can be opened under load
- with lock

Size	Length mm	WL kg	BL kg	Item no.
J8	45	1800	3600	7155250
J12	55	2700	5400	7155225



Tylaska
MARINE & AEROSPACE

Fixed Thimble Halyard Shackle

- 1:1 halyard shackle
- bolt doesn't get lost

Size	Rope Ø mm	WL kg	BL kg	Item no.
H5	up to 10	1130	2270	7083226
H8	10-12	1800	3600	7083227
H12	11-16	2700	5400	7083004



Tylaska
MARINE & AEROSPACE

2:1 Halyard Shackle

- bolt doesn't get lost
- with pulley

Size	Rope Ø mm	WL kg	BL kg	Item no.
H5 2	up to 10	1130	2270	7083223
H8 2	10-12	1800	3600	7083224
H12 2	11-16	2700	5400	7083225



Tylaska
MARINE & AEROSPACE

Colligo Torque Clamp

Size	Rope Ø mm	Item no.
RC 9-11	9-11	7080236
RC 12-13	12-13	7080237
RC 14-15	14-15	7080238



COLLIGO MARINE
MARINE & AEROSPACE

Good to know

For our dealers and distributors: Check out our accessories and goodies and order directly!



Accessories

All items (excl. Safety Net & Line) are only available at Teufelberger AB in Sweden.

Safety Net & Line

- safety net for your reiling

Designed and best used for:

- to prevent from someone or something going over board

Item	Length	Ø	Color/Item no.
	m	mm	
Line	100	7	● 7155090
Net	70	2	● 7155091

Note: Net and line need to be ordered separately



Rope Bag Small & Medium

- large compartment and a smaller pocket on the outside
- Acrylic Nanotech with mesh bottom and waterproof sun protection
- quick and easy installation with suction cups or supplied screw

Designed and best used for:

- to store your lines - for a clean look on deck

Size	Dimensions	Color/Item no.	
	cm	navy blue	gray
S	30 x 20	70889093	70889753
M	30 x 35	70889094	70889754



Rail Bag Small & Large

- dimensionally stable but soft
- large main compartment with mesh pocket inside
- mesh pockets on each side
- cover in tarpaulin with double Velcro fasteners
- Acrylic Nanotech

Designed and best used for:

- to store small items on deck and preventing them from going over board

Size	Dimensions	Color/Item no.
	cm	
S	36 x 20 x 9	70889293
L	36 x 36 x 9	70889295



Tool Bag

- marine design
- space for all your boat's tools
- durable Nylon ballistic
- easy to take up the mast

Designed and best used for:

- all your boat's tools

Size	Dimensions	Color/Item no.
	cm	navy blue
one size	24 x 32 x 23	70889150



Winch Handle Holder

- dimensionally stable
- Acrylic Nanotech
- easy installation with suction plug or the included screw

Size	Dimensions cm	Color/Item no.
		navy blue
one size	14 x 26	70889130
		gray
		70889820



Y-Boom Protection

- perfect, if you want to keep the hull in top condition
- fits most Y-bars on the market
- easy to mount with velcro fastening
- Acrylic Nanotech
- 100cm long

Designed and best used for:

- ▶ protecting the hull

Length cm	Color/Item no.
	navy blue
100	70889040



Y-Boom End Protection

- convenient way to protect your boat when mooring

Designed and best used for:

- ▶ protecting the hull on the back end

Color/Item no.
navy blue
70889260



Ankarolina Cover

- UV and dirt protection
- Acrylic Nanotech with neoprene side

Designed and best used for:

- ▶ protecting your anchorline

Size	Color/Item no.
	navy blue
S	70889173
M	70889175



UV-Protection

- to be attached over the cockpit of your boat
- also serves as a rain cover
- supplied with rope, length adjusters and hooks

Designed and best used for:

- ▶ protecting your cockpit

Size	Dimensions cm	Color/Item no.
		navy blue
one size	350 x 350	70889350



Hammock

- can be placed between foremast and mast
- including a pocket for bottles and newspapers

Designed and best used for:

- ▶ relaxation and enjoyment

Size	Dimensions cm	Color/Item no.
		navy blue
one size	210 x 100	70889320



Turnbuckle Cover

- Acrylic Nanotech
- 37 or 55cm

Length m	Color/Item no.	
	navy blue	gray
37	7088914 3	7088971 3
55	7088914 5	7088971 5



Lifeline Cover

- comfortable protection
- Acrylic Nanotech
- fits all lifeline constructions
- 0,6 or 1,0m

Length m	Color/Item no.	
	navy blue	gray
0.6	70889123	70889723
1.0	70889125	70889725



Can Holder

- space for two cans
- marine design
- Acrylic Nanotech
- quick and easy installation with suction cups or the supplied screw

Size	Dimensions cm	Color/Item no.	
		navy blue	gray
one size	14,5 x 20,5	70889100	70889800



Mug Holder

- for mugs with ears
- quick and easy installation with suction cups or supplied screw
- Acrylic Nanotech

Designed and best used for:

- ▶ having your drink always within reach

Color/Item no.

	navy blue-gray
	70889080



Cockpit Bag Large

- large main compartment
- three additional pockets, one of which is waterproof
- Acrylic Nanotech
- simple and secure attachment with suction cups

Size	Dimensions cm	Color/Item no.	
		navy blue	
one size	30 x 47	70889665	



How to choose the right product

What do you need this line for?

mooring & anchoring

OR

running rigging?

Mooring and anchor lines*


Your boat m	Weight t	Ø mooring line mm	Ø anchor line mm
6-8	2	8-10	12
9	4	12	14
10	5	12	16
11	7	14	16
12	8	14	18
14	11	16	20
16	12	18	20
18	20	24	24
24	22	26	26

Halyards and sheets*


Your boat m	Ø mm halyards			Ø mm sheets		
	Spi	Genoa	Main	Spi	Genoa	Main
6-8	8	8	8	10	10	10
9	8	10	10	10	12	10
10	10	10	10	10	14	12
11	10	12	10	12	14	12
12	12	12	12	12	14	12
14	12	12	12	14	14	12
16	12	14	12	14	14	14
18	14	14	14	14	14	14
24	16	16	16	16	16	16

*When using lines made of Dyneema®, the diameter can be reduced by 2 mm! The specified values are experience-based values of Robline®. They are average values which, however, can vary from one yacht type to another.


The four basic types of rope construction



double-braid



single-braid



three-strand



8-plait

Predefine

1. size of Clutches/Jammers
2. size of Blocks
3. size of Selftailing head on winch



Define

maximum
working
load



Use

rope that „consumes“
only (max.) 20% of
available tensile strength



⚠ WARNING

The misuse of ropes can be dangerous. Our products may only be used for the purpose they are designed for. Do not use them for personal protection or lifting purposes as specified in EU Directive 2006/42/EC, unless the products are clearly identified as suitable for such purposes under relevant standards. The user is responsible for the proper application and supervision of the rope's use and assumes the user is familiar with the necessary safety precautions. We recommend a splice as end connection for all of our products. For Dyneema® products (such as Ocean 3000 XG for example) a splice is the only option that should be used, as knots can come undone under a load.

Elongation


The following diagram shows the elongation versus the applied load for a number of fiber properties used to produce Robline ropes. The recommended working load at max. is 20% of the breaking load. The red line in the graph signifies this level.

Example: At the recommended working load of max 20%, Polyester fibers elongate by little under 3%, whereas PBO fibers and SK99 fibers not even reach elongation values of 1%.

Beware: when using a rope for its first time, elongation may be much higher than in the graph!

Breaking Load vs Elongation at Break Fiber Properties

Fiber	PBO	ARAMID	SK99	Vectran	UHMWPE	SK75/78	DM20	Technora	PES	PA	PP
%	2.5	3	3.2	3.3	3.5	3.5	3.6	4	15	20	30



	Elongation (%)	Elongation (cm)
GP	below 0.3	<6
High Tech	0.31	20
Cruising	2-3	40-60

ROBLINE COMMITTS TO SUSTAINABILITY

We at Robline live for water sports!

And this is why we strive to protect the limited resources of our oceans and lakes. Our goal is to reduce our company's global footprint in the long term – through recycling as well as by reducing and optimizing the use of petroleum-based materials. Therefore, we have defined the following goals for the decade until 2030:

- ▶ to provide opportunities to recycle ropes
- ▶ to offer climate-neutral products
- ▶ to regranulate plastic reels in-house
- ▶ to rely on sustainable packaging solutions

Robline Responsible

Anybody who, like Robline, mixes it at the top with the elite has a responsibility towards society and the environment. With Robline ropes, you may rest assured that we will make our contribution together.

Reels made of PP

With our in-house regranulation machines, we are able to recycle used reels made entirely of Polypropylene, on which most of our products are delivered. We reuse the recycled material in-house for our strapping products. Thus, we reclaim our waste, regranulate it, and use it to make new products, setting an example in our industry – for our future!




Packaging less is more

Plastic bags and cardboard labels are things of the past as far as our ready-made products are concerned. From now on, these products come with plain cardboard strapping and a Polypropylene cord for hanging them up in the store. This reduces not only the amount of generated waste, but also the delivery weight, which further contributes to an improved CO₂ footprint.

Innovative product made of recycled material

Rio Green: With a core made of recycled Polyester, this mooring and anchor line is the sustainable version of “Rio”. Its green identification stripe symbolizes its low global footprint. Apart from that, **Rio Green** features an elegant black color design.

Rio Green - for more info see
page 38 ↑



Robline® is a trademark of Teufelberger, a globally active family-owned enterprise.




Fiber Rope

Industrial Fiber Ropes
Life Safety Ropes
Paper Carrier Ropes
Treecare
Yachting Ropes



Wire Rope

Cableway Ropes
Crane & Industrial Ropes
Mining Ropes
Offshore Ropes
S&S / Teci
Tensostructures



Strapping Solutions

PET Strapping
PP Strapping
better.collect

ONE COMPANY INFINITE POSSIBILITIES

What started back in 1790 as a simple shop making hemp ropes has since evolved into a globally successful group of enterprises specializing in the development and production of fiber and steel wire ropes as well as strapping.

Innovative products of outstanding quality

Our expertise in a wide range of technologies has generated numerous synergies between our various divisions, much to the benefit of our customers. By assigning five percent of our employees to research and development, we make sure that our customers keep benefitting from cutting-edge technologies. In addition to upholding social and environmental standards, we also pay close attention to delivering consistently high quality and make sure that all our products comply with our quality standards. We work on an equal footing with our customers to find optimal solutions in the field of fiber ropes and their applications. The continuity and stability of our family business make us a reliable partner who can support you in solving your daily challenges.

Quality without compromises

At Teufelberger, quality is a key priority. From the receipt of the raw materials to the delivery of the finished product, strict quality checks are standard practice.

Your trusted partner

Our portfolio is already extensive, nevertheless we continue to develop innovative products that meet your evolving needs and requirements. Teufelberger offers comprehensive expertise in various segments of rope engineering, which gives you a decisive advantage in the selection and development of your rope.

Product development is key

The development of our product portfolio is an ongoing process fueled by our innovative spirit, our aspirations for continuous improvement and our passion to develop the best products.

Our product development process incorporates fiber research and testing, prototype development, internal inspections, tests for compatibility with commercially available products, field tests and practical trials by experienced users.

Global network and market proximity

The keys to our success are international locations and a high degree of interaction with the customer. Our product development teams in Europe and the US work closely with our customers and external partners, like research institutes and certification authorities, to create products that do not only meet European and International standards but also live up to the high expectations of professionals. **14 locations around the world, including manufacturing sites in Austria, Italy, Poland, Thailand, the Czech Republic, and the U.S.**

Our Trusted Partners

Among many others, we'd like to highlight two of our most valued partners and explore why they trust Robline.



Norwegian Sailing Federation

The Norwegian Sailing Federation (Norges Seilforbund, NSF) has been the driving force behind the development of sailing in Norway since its founding in 1970. Dedicated to promoting sailing at all levels, from grassroots youth programs to elite international competition, NSF supports a vibrant community of sailors across the country. The federation is committed to nurturing talent, providing world-class training, and fostering a love for sailing while emphasizing sustainability and safety on the water.

NSF is proud to partner with Robline, a globally recognized leader in rope technology. Robline's innovative products are trusted by our national team athletes, particularly in the highly competitive dinghy classes. This collaboration ensures that our sailors are equipped with the best possible gear as they pursue excellence on the international stage. The shared values of quality, performance, and passion for sailing form the core of our ongoing partnership with Robline.



AUSTRIAN SAILING FEDERATION

Austrian Sailing Federation

The Austrian Sailing Federation (ASF or OeSV in German) has been representing and promoting the interests of Austrian sailing in all its forms since 1946, and "sailing" means all wind-powered water sports for us. The clubs and sailing schools ensure that everyone has access to the sport, we provide the appropriate structures and framework conditions. As a professional association, we work together with our clubs and class associations to support all sailing, surfing, kiting and foiling athletes of all ages, regardless of their talent or qualifications. From children in optimist boats to the spectacular youth classes to the traditional Yardstick regattas on our lakes or to the (Youth) National Team and maybe even to the Olympic Games.

We have been working with Robline for decades, and the feedback from our top sailors has contributed significantly to the further development of the products.



Index

Performance

Admiral PRO.....	7
Admiral PRO Plus	7
Admiral 10000	8
Admiral 10000 Plus.....	8
Admiral 7000	8
Admiral 5000.....	8
Admiral 3000	9
Globe Pro	9

Single Braids

Ocean STS® & Robtec STS®	10
Ocean 7000.....	10
Ocean 3000.....	11
Ocean All Color	11
Ocean STAT20 XG.....	11

Cruising

Sirius	13
Sirius Grip.....	13
Sirius XTS	14
Orion	14
Neptun 500	15

Dinghy & Sportsboats

Dinghy Star Pro Ultra.....	17
Dinghy Star Pro	17
Dinghy Star	17
Dinghy Polytech	18
Infinity Control.....	18
Sirius	18
Dinghy Control.....	19
Coppa Pro	19
Coppa Dura	19
0-Kink	19
Super Dinghy Sheet.....	20
Racing Pro	20
Dinghy Sheet.....	20
Dinghy Light	20
Mainlite.....	21
8-Plaited Dinghy	21
Albatros.....	21
High Tech Shock Cord.....	22
Shock Cord.....	22

Sailmakers

Luffline.....	23
Leech Line.....	23
Trimmline Orion 500.....	23
High Tech STS® Single Braid Leech Line..	24
Dyneema® Chafe Sleeve	24
Robtec Chafe Sleeve	24
Sirius XTS Cover	24
Lazyjack Polybraid.....	25
Infinity Furl.....	25

Ready-Made-Products

8-plait Mooringlines (Nylon 8-plait)	26
3-strand Mooring- and Fenderlines (Rapallo, Twisted Fenderlines)	26
Double Braid Mooring- and Fenderlines (Vinga, Rio, Palma Elastic, Braided Fenderlines)	27
Buoy Mooring Line.....	28
Bonifacio Winch.....	28
Poseidon	28
Miami.....	29
Extension Mooring	29
Wire Lock.....	29
Mooring Rope Set	29
Tapered Lines (Spi Sheet Endless High Tech, Generic tapered, Spi Sheet, Optimist Sheet, Catamaran Sheet, Jib Sheet High Tech)	30
Mainlite.....	31
Racing Pack (Dinghy Control & Infinity Control)	31
Soft Shackle Ocean.....	31

Mini-Spools

Ocean 3000	32
Dinghy Control.....	32
Orion	32
Classic-Tex.....	32
Polyester Color	33
XLF	33
Opti Dinghy Lashing.....	33
Leech Line.....	33
Shock Cord.....	33

Whipping Twine

Whipping Twine Dyneema®	35
Waxed Whipping Twine.....	35
Waxed Whipping Twine and Needle.....	35

Mooring & Anchor Lines

Palma Elastic	37
Nylon 8-plait.....	37
Newport 8-plait	37
Rio Green.....	38
Rio.....	38
Rapallo	39
Cormoran.....	39

Traditional Ropes

Classic-Tex.....	40
Spunflex.....	40
Globe Pro	41

Allround Ropes

Floating Security Line.....	42
Polyester 16	42
Polyester 8.....	42
Polyester Color 8.....	42
XLF 8.....	43
Polyamide 16 Start.....	43

Kitelines

Flying Lines 8-braid (Tarifa, Tarifa minispools, Garda, Garda minispools)	45
Flying Lines 12-braid (Capetown, Capetown minispools, Maui, Maui minispools)	46
Complementary Lines (Depower Line, Safety Line, Polyester Sleeve, Super Downhaul Line).....	47

Splicing gadgets

Robline Pro Coating.....	49
Heat-cutting Device.....	49
D-Splicer Needle	49
Stainless Steel Splicing Set with Hooks.....	49
Dyneema® Scissors.....	49

Hardware

Thimble Shackle Captive Pin	50
Key Pin Shackle with Bar	50
Speedlink HR Trigger Snap Shackle	50
MXEvo-Captive Pin	50
Thimbles	50
Open Thimble	51
Closed Thimble	51
Closed Thimble	51
Thimble with Bar.....	52
Nylon Thimble.....	52
Bow Shackle with Nut and Split Pin	52
Standard Bail Trigger Snap Shackle.....	52
Large Bail Trigger Snap Shackle	53
J-Lock Snap Shackle.....	53
Fixed Thimble Halyard Shackle	53
2:1 Halyard Shackle	53
Colligo Torque Clamp.....	53

Accessories

Safety Net & Line.....	55
Rope Bag Small & Medium	55
Rail Bag Small & Large	55
Tool Bag	55
Winch Handle Holder	56
Y-Boom Protection.....	56
Y-Boom End Protection	56
Ankarolina Cover	56
UV-Protection	56
Hammock.....	56
Turnbuckle Cover	57
Lifeline Cover.....	57
Can Holder.....	57
Mug Holder	57
Cockpit Bag Large	57

Country Contacts



Robline Partners

(dealer/distributor)

Australia

- **Ronstan International Pty Ltd**
19 Park Way, Braeside,
Victoria 3195, Australia
T +61 3 85 86 20 00
office@ronstan.com.au
www.ronstan.com

Canada

- **WPG Canada Inc**
2757-A Boulevard Talbot #1
Stoneham-et-Tewkesbury
Qc, G3C 1K2
info@wpgcanada.com
www.wpgcanada.com

Croatia

- **Versa Nautica d.o.o.**
Riječka 3, 21 000 Split
versanautica.com
info@versanautica.com
T +385981732276

Czech Republic

- **Yacht Sport Stary, spol.s.r.o.**
Jiraskova 813
373 41 Hluboka nad Vltavou
T +420 387 965 289
yacht.sportstary@seznam.cz
www.yachtsport-stary.cz

Denmark

- **Palby Marine A/S**
Korsvej 3, 6000 Kolding
T +45 758 81311
palby@palby.dk
www.palby.dk
- **ENGHOLM A/S**
Solvang 40-42
DK-3450 Allerød
T +38 10 02 22
info@engholm.dk
www.engholm.dk

Finland

- **OY Maritim AB**
Veneentekijäntie 1 P.O. Box 46
FI-00210 Helsinki
T +358 (0) 207 65180
info@maritim.fi
www.maritim.fi

France

- **VMG Soromap**
Z.A. de Béligon
17300 Rochefort/Mer
T +33 (0)5 46 87 84 80
paul.dagault@soromap.com
www.soromap.com

Greece

- **Trezos Marine**
Athinas 30, GR-105 51 Athens
T +30 210 3250227
info@trezos-marine.gr
www.trezos-marine.gr

Great Britain

- **Robline UK Ltd**
The Chittings Havenhills Farm
Brockton Shifnal, TF11 9NR Shropshire
T +44 (0)7789 460401
Justin@roblines.com
www.roblinesuk.com

Hong Kong

- **Xieite Ltd.**
Office A, 10F, Lee Tung
Commercial Building, 91-97 Jervois Street,
Sheung Wan, Hong Kong
T +852 8199 0535
sales@xieite.com

Hungary

- **Marina Yacht Sport Kereskedelmi Kft**
San Marco utca 56,
HU-1032 Budapest
T +36 30 637 3 637
office@marina.hu
www.marina.hu

Israel

- **Ashdod-Yam Ltd.**
P.O.B 4141 Ashdod 77140 Israel
T +972-8-8677663
eyal.d@ashdod-yam.co.il
www.ashdod-yam.co.il

Latvia

- **Baltijas Jahtu Serviss Sia**
60c Nometņu Street, LV1002 Riga
T +371 67279520
sales@laivulietas.lv

Maldives

- **Silver Sands Pvt. Ltd.**
M. Chandhaneeg, 2nd floor,
Alhivilaa Magu, 20292 Male
T +960-3002737
info@seagear.com.mv
www.seagear.com.mv


Netherlands & Belgium

- **On Deck b.v.**
Leimuiderdijk 478a,
NL-2156 MX Weteringbrug
T +31 71 331 3366
allhands@on-deck.nl
www.on-deck.nl

Norway

- **Flak AS**
Postboks 9094, Skibåsen 37,
Sørlandsparken
NO-4636 Kristiansand S
T +47 3805 6600
flak@flak.no
www.flak.no
- **Norway Marine Supply**
Asbieveien 11, NO-4848 Arendal
T +47 37000350
salg@nmsinfo.no
www.nmsinfo.no





Sweden

- **TEUFELBERGER AB**
Bolshedens Industriväg 30
SE-427 50, Billdal
T +46 31 939 100
info@teufelberger.se
www.roblineropes.com

Switzerland

- **KIELWASSER AG**
Switzerland, Zuercherstr. 72
CH 8852 Altendorf
T +41 55 442 56 57
info@kielwasser.ch
www.kielwasser.ch

Singapore

- **MARINTECH MARKETING (S) PTE LTD**
101 Kitchener Road, #02-14 Jalan Besar
Plaza, Singapore 208511
T +6562988171
marintech@pacific.net.sg
www.marintech.sg
- **ALQUEST MARINE PTE LTD**
1 Kaki Bukit Road 1, #03-13 Enterprise
One, Singapore 415934
T +65 6749 9359
brandon.tan@alquest.com.sg
jimmy.goh@alquest.com.sg

Spain

- **Eromar S.L.**
Escultor Llimona 11 – APDO, 345
ES-08328 Alella Barcelona
T +34 93 5556 004
info@eromar.es
www.eromar.es

Tahiti

- **Tahiti Yacht Accessories**
PO Box 7329, 98719 Taravao
French Polynesia
T +68 (974) 1002
tyaccessorie@yahoo.fr

Turkey

- **Marintek Deniz Ve Yat Malzemeleri**
Ticaret A.S., Milangaz Caddesi 37
TK-34870 Kartal – Istanbul
T +90 (216) 317 1010
info@marintek.com.tr
www.marintek.com.tr

USA

- **Ronstan International Inc.**
42 Whitecap Drive
North Kingstown, RI 02852
T +1 401 29 30 539
office@ronstan.us
www.ronstan.com



Teufelberger Locations

Austria

- **Teufelberger Fiber Rope GmbH**
Vogelweiderstraße 50, 4600 Wels
T +43 (0) 7242 413-0
info@roblineropes.com
- **Teufelberger Seil Gesellschaft m.b.H.** Böhmerwaldstraße 20,
4600 Wels
- **Teufelberger Seil Gesellschaft m.b.H.** Am Eisenwerk 14
3193 St. Aegyd am Neuwalde

China

- **Redaelli Tecna Ropes & Lifting (Shanghai) Co., Ltd.** RM811-812,
NO.317 XianXia Rd, Shanghai

Czech Republic

- **Teufelberger spol. s r.o.**
Průmyslová 841 CZ-39181 Veselí
nad Lužnicí

France

- **Teufelberger SARL**
Rue de la bergerie, 1
30100 Alès, Rue Thomas Edison
67450 Mundolsheim

Italy

- **Redaelli Tecna S.p.A.**
Via Alessandro Volta, 16
20093 Cologno Monzese (MI)
- **Redaelli Tecna S.p.A.**
Via Matteotti, 323, 25063 Gardone
Val Trompia (Brescia)
- **Redaelli Tecna S.p.A.** Riva Alvise
Cadamosto, 14, 34147 Trieste
- **Redaelli Tecna S.p.A.** Via Barco,
2/8, 25045 Castegnato (Brescia)

Poland

- **Teufelberger Strapping Sp. z o.o.** Przemysłowa 4,
05-480 Karczew

USA

- **Teufelberger Fiber Rope Corp.**
848 Airport Road, Fall River, MA
02720-4735

Sweden

- **Teufelberger AB**
Bolshedens Industriväg 30
S-427 50 Billdal
T +46 31 939100,
info@teufelberger.se

Thailand

- **Teufelberger Fiber Rope Ltd.**
Khao Noi, Prachuab Kirikhan
1/2, 1/5, 1/9 Moo 7 Khao Noi,



TEUFELBERGER Fiber Rope GmbH

Vogelweiderstraße 50
4600 Wels, Austria
T +43 (0) 7242 413-0
F +43 (0) 7242 413-9169
info@roblineropes.com

www.roblineropes.com